

| 13.10.2024 | Arten: 120 | det. | Substrat/Begleiter | Stadium | Fundort |
|---|--|-------------|--|-----------|---------|
| Agaricus augustus | Riesenchampignon | | | | F |
| Amanita excelsa | Grauer Wulstling | | | | F |
| Amanita muscaria | Fliegenpilz | | Betula sp. | | F |
| Amanita rubescens | Perlpilz | | Betula sp. | | F |
| Apioperdon pyriforme (=Lycoperdon pyr.) | Birnen-Stäubling | | Laubholz | | VP |
| Ascocoryne sarcoides | Fleischroter Gallertbecher | | Fagus sylvatica | Anamorphe | VP |
| Auricularia auricula-judae | Judasohr | | Fagus sylvatica | | VP |
| Biscogniauxia nummularia | Rotbuchen-Rindenkugelpilz | | Fagus sylvatica | | VP |
| Bjerkandera adusta | Angebrannter Rauchporling | | Laubholz | | VP |
| Boletus edulis | Echter Steinpilz | | Betula sp. | | F |
| Botryobasidium aureum | Goldgelbe Traubenbasidie | B. Sothmann | | | VP |
| Clavaria cristata | Kammförmige Koralle | | | | F |
| Claviceps purpurea | Mutterkorn | | Arrhenatherum elatius, Festuca pratensis | | F |
| Clitopilus prunulus agg. | Mehl-Räsling | | Betula sp. | | F |
| Coprinopsis atramentaria | Falten-Tintling | | | | VP |
| Coprinus comatus | Schopf-Tintling | | | | F |
| Crepidotus mollis | Gallertfleischiges Stummelfüßchen | | Fagus sylvatica | | VP |
| Cystolepiota seminuda | Weißer Mehlschirmling | | | | VP |
| Erysiphe alphitoides | Eichen-Mehltau | | Quercus robur | | F |
| Erysiphe capreae | Hainbuchen-Mehltau | | Carpinus betulus | | F |
| Eutypa spinosa | Stacheliger Krustenhöckerpilz | | Fagus sylvatica | | VP |
| Fomes fomentarius | Zunderschwamm | | Fagus sylvatica | | VP |
| Fomitopsis pinicola | Rotrandiger Baumschwamm | | Fagus sylvatica | | VP |
| Ganoderma applanatum | Flacher Lackporling | | Fagus sylvatica | | VP |
| Hebeloma crustuliniforme agg. | Tonblasser Rettich-Fälbling (Aggregat) | | | | F |
| Hebeloma mesophaeum | Dunkelscheibiger Fälbling | | | | F |
| Hebeloma sacchariolens agg. | Süßlichriechender Fälbling | | | | F |
| Helvella crispa | Herbst-Lorchel | | | | F |
| Hypholoma fasciculare | Grünblättriger Schwefelkopf | | Laubholz | | F |
| Hypomyces microspermus | Kleinsporiger Goldschimmel | | Xerocomus s. l. | | VP |
| Inocybe cincinnata var. major = obscuroides | Lilaspitziger Risspilz | | | | F |
| Inocybe geophylla agg. | Erdigblättriger Risspilz | | | | F |

| | | | |
|--|------------------------------------|-------------------------------------|---------------------|
| Inocybe lilacina agg. | Lilaseidiger Risspilz | | F |
| Inocybe rimosa agg. | Kegeliger Risspilz | | F |
| Inocybe sindonia | Wolligfädiger Risspilz | | F |
| Ischnoderma resinosum | Laubholz-Harzporling | Fagus sylvatica | VP |
| Jackrogersella cohaerens | Zusammengedrängte Kohlenbeere | Fagus sylvatica | VP |
| Kretzschmaria deusta | Brandkrustenpilz | Laubholz | Anamorphe + Tel. VP |
| Kuehneola uredinis | Weißer Brombeerrost | Rubus fruticosus sect. fru II & III | VP |
| Kuehneromyces mutabilis | Stockschwämmchen | Laubholz | VP |
| Laccaria laccata var. pallidifolia | Rötlicher Lacktrichterling | N. Makedonski | F |
| Lacrymaria lacrymabunda | Tränender Saumpilz | | F |
| Lactarius circellatus | Hainbuchen-Milchling | Carpinus betulus | F |
| Lactarius pubescens | Flaumiger Birkenmilchling | Betula sp. | F |
| Lactarius torminosus | Zottiger Birkenmilchling | Betula sp. | F |
| Lactarius turpis | Olivbrauner Milchling | | F |
| Laetiporus sulphureus | Schwefelporling | Laubholz | VP |
| Leccinum scabrum | Birkenpilz | Betula sp. | F |
| Leotia lubrica | Gallertkäppchen | | VP |
| Lepiota aspera | Spitzschuppiger Stachel-Schirmling | | F |
| Lepiota boudieri | Fuchsbräunlicher Schirmling | | VP |
| Lepiota castanea | Kastanienbrauner Schirmling | Jan-Arne Mentken | VP |
| Lepiota cristata | Stink-Schirmling | | F |
| Lepiota subdulcis | Süßlicher Buchen-Milchling | Fagus sylvatica | VP |
| Leratiomyces ceres | Orangeroter Träuschling | | F |
| Lycoperdon perlatum | Flaschen-Stäubling | | VP |
| Lyophyllum decastes | Brauner Büschel-Rasling | | F |
| Macrotypophula fistulosa var. contorta | Gedrungene Keule | Betula sp. | F |
| Marasmius oreades | Nelken-Schwindling | | F |
| Marasmius torquescens | Ledergelber Schwindling | | VP |
| Marasmius wynneae | Violettlicher Schwindling | | VP |
| Melampsora laricis-populina | | Populus nigra | III VP |
| Melampsorium hiratsukanum | Japanischer Erlenrost | Alnus glutinosum | II VP |
| Meripilus giganteus | Riesenporling | Laubholz | F |
| Mycena crocata | Orangemilchender Helmling | | VP |

| | | | | |
|---|----------------------------------|------------------|-----------------------------------|-----------|
| <i>Mycena galericulata</i> | Rosablättriger Helmling | | Laubholz | VP |
| <i>Mycena haematopus</i> | Großer Bluthelmling | | | VP |
| <i>Mycena pseudocorticola</i> | Blauer Rinden-Helmling | | | F |
| <i>Mycena pura</i> | Gemeiner Rettich-Helmling | | | F |
| <i>Mycena rosea</i> | Rosa Rettich-Helmling | | | VP |
| <i>Mycena speirea</i> | Bogenblättriger Helmling | | Laubholz | VP |
| <i>Neoboletus luridus</i> | Flockenstieliger Hexenröhrling | | | F |
| <i>Nectria cinnabarina</i> s. l. | Zinnoberroter Pustelpilz | | Laubholz | VP |
| <i>Otidea alutacea</i> | Ledergelber Öhrling | N. Makedonski | | F |
| <i>Oudemansiella mucida</i> | Beringter Schleimrübling | | <i>Fagus sylvatica</i> | VP |
| <i>Paxillus involutus</i> s. l. | Kahler Krempling | | <i>Betula</i> sp. | F |
| <i>Peniophora quercina</i> | Eichen-Zystidenrindenpilz | | <i>Quercus robur</i> | VP |
| <i>Phlebia tremellosa</i> (=Merulius tr.) | Gallertfleischiger Fältling | | <i>Prunus</i> sp. | VP |
| <i>Pholiota adiposa</i> | Fettiger Schüppling | | <i>Fagus sylvatica</i> | VP |
| <i>Phragmidium mexicanum</i> | Scheinerdbeerrost | | <i>Potentilla indica</i> | II VP |
| <i>Phragmidium violaceum</i> | Dickwandiger Brombeerrost | | <i>Rubus fruticosus</i> sect. fru | III VP |
| <i>Phyllactinia fraxini</i> | Großfrüchtiger Eschenmehltau | | <i>Fraxinus excelsior</i> | F |
| <i>Phyllactinia guttata</i> | Haselmehltau | | <i>Corylus avellana</i> | F |
| <i>Phyllotopsis nidulans</i> | Orangeseitling | | | VP |
| <i>Pluteus cervinus</i> | Rehbrauner Dachpilz | | <i>Fagus sylvatica</i> | VP |
| <i>Pluteus ephebeus</i> | Graufilziger Dachpilz | N. Makedonski | | VP |
| <i>Pluteus phlebophorus</i> | Runzeliger Dachpilz | | <i>Fagus sylvatica</i> | VP |
| <i>Polyporus badius</i> | Kastanienbrauner Stielporling | | Laubholz | VP |
| <i>Psathyrella conopilus</i> | Steifstieliger Kegelhutfaserling | | | VP |
| <i>Psathyrella multipedata</i> | Büscheliger Faserling | | | VP |
| <i>Psathyrella pseudogracilis</i> | Zierlicher Mürbling | Jan-Arne Mentken | | VP |
| <i>Pseudopeziza trifolii</i> | Klee-Klappenschorf | | <i>Trifolium pratense</i> | F |
| <i>Puccinia convolvuli</i> | Windenrost | | <i>Calystegia sepium</i> | III VP |
| <i>Puccinia glechomatis</i> | Gundermannrost | | | III VP |
| <i>Puccinia lagenophorae</i> | Australischer Gänseblümchenrost | | <i>Bellis perennis</i> | I F |
| <i>Puccinia striiformoides</i> | | | <i>Dactylis glomerata</i> | II F |
| <i>Ramaria stricta</i> | Steife Koralle | | <i>Fagus sylvatica</i> | VP |
| <i>Rhytisma acerinum</i> | Ahorn-Runzelschorf | | <i>Acer pseudoplatanus</i> | VP |

| | | | | |
|------------------------------|-------------------------------|------------------|------------------------------------|------------------|
| Russula exalbicans | Verblässerender Täubling | M. Ernst | | F |
| Russula parazurea | Blaugrüner Reiftäubling | M. Ernst | | F |
| Russula recondita | Kratzender Kamm-Täubling | | Quercus robur | F |
| Russula versicolor | Vielfarbiger Täubling | M. Ernst | | F |
| Sawadaea bicornis | Bergahornmehltau | | Acer campestre + A. pseudoplatanus | VP |
| Scleroderma citrinum | Dickschaliger Kartoffelbovist | | | F |
| Scleroderma verrucosum | Dünnschaliger Kartoffelbovist | N. Makedonski | | F |
| Scutellinia crinita | Bewimperter Schildborstling | N. Makedonski | | VP |
| Simocybe centunculus | Kleinsporiger Olivschnitzling | N. Makedonski | | VP |
| Skeletocutis nivea agg. | Engporiger Knorpelporling | | Laubholz | VP |
| Suillus grevillei | Gold-Röhrling | | Larix sp. | F |
| Trametes versicolor | Schmetterlings-Tramete | | Betula sp. | F |
| Trametes gibbosa | Buckel-Tramete | | Fagus sylvatica | VP |
| Trametes hirsuta | Striegelige Tramete | | Fagus sylvatica | VP |
| Trichia varia | | Jan-Arne Mentken | Laubholz | VP |
| Tricholoma scalpturatum agg. | Gilbender Erd-Ritterling | | | F |
| Tricholoma sulphureum | Schwefel-Ritterling | | Fagus sylvatica | VP |
| Triphragmidium ulmariae | Großer Mädesüßrost | | Filipendula ulmaria | III |
| Uromyces silphii | | | Juncus tenuis | III |
| Xylaria hypoxylon | Geweihförmige Holzkeule | | Laubholz | Anamorphe + Tel. |
| Xylaria longipes | Langstielige Ahornholzkeule | | | VP |
| Xylaria polymorpha | Vielgestaltige Holzkeule | | Fagus sylvatica | VP |

F = Friedhof, VP = Volkspark

Bochum-Hiltrup, MTB 4409/43